



**NOTE:-**

1. RELAY PITCHERS ON 75mm SAND/CEMENT MIX RATIO 6 :1.  
BROOM IN SAME MIX BETWEEN PITCHERS.
2. PATH TO BE LOWERED AS SPECIFIED ABOVE THROUGH DRIVEWAY  
AND THEN TAPERED TO EXISTING LEVEL APPROXIMATELY 1.5m  
FROM EDGES OF DRIVEWAY.
3. 75mm DEEP 'B' GRADE CRUSHED ROCK TO BE PLACED & COMPACTED  
IN DRIVEWAY BETWEEN PATH & PITCHER LAYBACK. OLD MATERIAL TO  
BE EXCAVATED & REMOVED.
4. LOCATE ALL SERVICES PRIOR TO EXCAVATION.
5. STORMWATER OUTLETS TO BE ALTERED AS REQUIRED.

## CITY OF BALLARAT

1.	CHANGED NUMBER FROM M3 TO M2	FEB 04
No.	AMENDMENTS	DATE

Approved by: \_\_\_\_\_  
Date: \_\_\_\_\_

### VEHICULAR CROSSING TO BLUESTONE CHANNEL (JUNCTION STREET)



SCALE:  
NOT TO SCALE  
SHEET 1 OF 1  
DRAWING NO:  
SD-M2