


HUMPS AHEAD WARNING SIGN (W3-4)
 "NEXT ___ m." (W8-17)
 (SIGN W8-17 ONLY REQUIRED IF HUMPS
 IS FIRST IN A SERIES).
 SIGNS TO BE LOCATED
 IN ACCORDANCE WITH
 AS 1742.13



STANDARD SPEED HUMP SIGN (W5-10)
 ADVISORY SPEED SIGN (W8-2)

CONSTRUCTION NOTES:



SPEED HUMP TO BE CONSTRUCTED
 IN
 ASPHALT UNLESS OTHERWISE
 NOTIFIED.

ASPHALT TO BE PLACED IN TWO
 LAYERS:


TOP LAYER TO BE 40MM DEPTH, SIZE
 10, CLASS 320, TYPE H ASPHALT.

BOTTOM LAYER TO BE 160MM
 DEPTH, SIZE 14, TYPE H, CLASS 170
 ASPHALT.

SAWCUT EXISTING PAVEMENT AND
 CHASE 50mm DEEP AND 300mm
 WIDE.



SECTION
 HUMP = 3700mm x 100mm



DETAIL A

WATTS PROFILE

X(m)	0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8
H(mm)	100	100	99	97	95	93	90	86	81	75	71	65	58	51	43	34	25	16	5

CITY OF BALLARAT

Approved by:-

**WATTS PROFILE SPEED HUMP
 AND LINE MARKING DETAIL**



SCALE:
 NOT TO SCALE
 SHEET 1 OF 1
 DRAWING NO:
SD-14

No. AMENDMENTS

DATE

Date: